ECS Configuration Change Request

CCR No. 98- 0466	**Logged Date** 04-13-98	**Rev.** -	**Request Type** CCR
Priority Routine [ ] Urgent [ ] Emergency [X]		**Affected Release** B	**Change Class** IN

Title (description)
Request to install DB Artisan

Documents Affected
N/A

Source Nos (RID, NCR, Action Item, GSFC CCR, etc.) **or Tech Reference**
N/A

RTM Change [ ] **Start New Baseline** [ ]

Problem
DB Artisan needs be installed on the PC located in 3000F.

Proposed Solution
Install DB Artisan on Beilin Yin's PC in 3000F.

Impact Analysis: **Need by date: 4/20/98**

Organizations Affected: BOO [ ] Contracts [ ] ESO [ ] FOS [ ] M&O [ ]

QA [ ] Rel. A [ ] Rel. B [X] Rel. IR1 [ ] MRS [ ] SMO [ ] Subconts [ ]

A.1 [ ] Other _____

Cost: None [X] Small [ ] (Not exceeding $100,000) Medium [ ] ($100,000 to $500,000) Large [ ] (Over $500,000)

Schedule: None [ ] Other

Additional LOC _____ Man-Months _____

Materials

Originator Michelle D. Johnson Signature 4/13/98 Date

Office Release B Office Manager Signature 4/13/98 Date

Disposition Approved [✓] Approved w/Comment [ ] Forward [ ] Disapproved [ ]

Comments:

CCB Chairperson Signature 4/15/98 Date

CM01JU96

ECS

ORIGINAL

cm cp